



LABELS ARE POWERFUL

WHAT DOES YOURS SAY?

Office Labelling Product Guide





Labels are powerful. So as one of the worldwide leaders in labelling machines and printers, we're proud to have one of the broadest product line-ups around – from handheld portables to desktop and industrial models.

Whether it's for the office, industry or around the home, Brother labels offer unexpected versatility and are one of the quickest and easiest ways to organise your documents, equipment, workspaces and more.

Contents

P-touch Professional Labelling Machines	
Office	4-7
QL Professional Label Printers	
Office	8-9
Consumables	
TZe Tape	10
DK Label and Tape	11
Helping you choose & step up	
P-touch professional label machines	12
QL professional label printers	13





P-touch 2470

Bring versatility and efficiency to your office or shop. The stylish and easy to use P-touch 2470 gives you all that and more. Print labels on-demand wherever and whenever required - including barcodes, pricing labels and sales messages quickly and simply.

- Large easy-to-read backlit LCD display
- Various type styles and symbols available
- Includes 24 mm black on white label cassette (4 m)
- Prints 6, 9, 12, 18 and 24 mm labels



P-touch 2430PC

The P-touch 2430PC is a sleek and stylish desktop labelling machine which requires no software installation. Plug in, click on the icon and you are ready to print. 3 simple steps to perfect labels.

- Large 18 mm print height for easy-to-read labels
- Built-in auto cutter for printing many labels at once
- Includes 24mm black on white tape (8 m), USB cable, AC adaptor and label design software on CD-ROM
- Prints 3.5, 6, 9, 12, 18 and 24 mm labels



P-touch 2030VP

The compact size and lightweight design of the P-touch 2030VP make it ideal to share with your work colleagues. The many fonts, styles and frames ensure clear labelling of CD/DVD cases, files and shelves. The new Label Collection feature makes common labelling tasks quick and easy!

- Graphic display with label preview
- Large variety of fonts, type styles, frames and symbols
- Includes 18 mm black on white label cassette (4 m), AC adapter and handy carry case.
- Prints 3.5, 6, 9, 12 and 18 mm labels



P-touch 2730VP

The feature packed P-touch 2730VP prints up to 7 lines of text, and includes a range of built-in fonts, frames and symbols. With the option of PC connectivity you'll be able to print barcodes, graphics, logos and icons. With many easy-to-use features and the Label Collection feature, creating labels, whenever and wherever required, has never been easier!

- PC connection - design and print labels from your PC
- Easy-to-read backlit graphic LCD display
- Includes 24 mm black on white label cassette (4 m), AC adapter and handy carry case.
- Prints 3.5, 6, 9, 12, 18 and 24 mm labels



P-touch 3600

With a print speed of 20 mm per second and a print resolution of 360dpi, the P-touch 3600 produces excellent quality professional labels, helping you achieve a better organised working environment. The large semi-graphical LCD display allows you to preview up to 20 characters on 3 lines.

- Multi-function cutter – capable of printing a strip of labels that is half-cut and ready to peel easily
- Rotate & print function for a continuous "wrap around" label
- Includes 24 mm black on white tape (8 m), USB cable, AC adaptor and label design software on CD-ROM
- Prints 6, 9, 12, 18, 24 and 36 mm labels



P-touch Professional Labelling Machines – Office

Handheld Specification	PT-2470
Tape type	TZ / TZe
Tape width	6 / 9 / 12 / 18 / 24 mm
Unique feature	-
Display	16 characters x 2 lines Backlight
Keyboard layout	ABC
Cutter	Manual
Print method	Thermal Transferring
Max. print height	18 mm
Print resolution (dpi)	180
Print speed (mm/sec)	10 mm/sec
Adapter type	AD-18ES
No./type of batteries	6 x AA
Supplied	Black on White 24 mm (4 m) Tape
Barcode printing	Yes
Fonts	1
Print sizes	7
Print widths	4
Print styles	6
Frames/Borders	14
Symbols	164
Underline	Yes
Programmable label length	Yes
Multiple line printing	7 lines
Vertical printing	Yes
Mirror printing	Yes
Flag mode	Yes
Block printing	Yes
No. of Blocks	50
Memory (No. of Characters)	2,800 (max. 10areas)
Max number of characters/label	500
Repeat printing	Yes
Rotate & Repeat mode	Yes
Sequential numbering	Yes
Print preview	Yes
Colour	Orange & Black
Weight	610g
Dimensions (w x d x h) mm	134 x 235 x 78 mm

PC Specification	PT-2430PC
Tape type	TZ / TZe
Tape width	3.5 / 6 / 9 / 12 / 18 / 24 mm
PC Connectable	Yes
Interface	USB
Unique feature	Built-in label design software "P-touch Editor Lite"
Display	N/A
Keyboard layout	N/A
Cutter	Automatic
Print method	Thermal Transferring
Max. print height	18mm
Print resolution (dpi)	180
Print speed (mm/sec)	10 mm/sec
Adapter type	AD-24ES
No./type of batteries	6 x AA
Supplied	Black on White 24 mm Tape (8 m) AC Adaptor USB cable CD-ROM label design software
Barcode printing	Editor Software
Fonts	Windows Fonts
Print sizes	Windows Fonts
Print widths	Windows Fonts
Print styles	Windows Fonts
Frames/Borders	Editor Software
Symbols	Editor Software
Underline	Yes
Programmable label length	Yes
Multiple line printing	Yes
Vertical printing	Yes
Mirror printing	Yes
Repeat printing	Yes
Sequential numbering	Editor Software
Print preview	Yes
Colour	White & Grey
Weight	600g
Dimensions (w x d x h) mm	67 x 189 x 110.5 mm

P-touch Professional Labelling Machines – Office

Desktop Specification	PT-2030VP	PT-2730VP	PT-3600
Tape type	TZ / TZe	TZ / TZe	TZ / TZe
Tape width	3.5 / 6 / 9 / 12 / 18 mm	3.5 / 6 / 9 / 12 / 18 / 24 mm	6 / 9 / 12 / 18 / 24 / 36 mm
PC Connectable	Yes	Yes	Yes
Interface	-	USB	USB
Unique feature	Label Collection(55 kinds)	Label Collection(55 kinds), Label Collection DL Feature (Can add 20 files), Time / Date printing, Text Reminder	-
Display	16 characters x 3 lines	16 characters x 3 lines Backlight	20 charcters x 3 lines
Keyboard layout	QWERTY	QWERTY	QWERTY
Cutter	Manual	Automatic	Automatic
Print method	Thermal Transferring	Thermal Transferring	Thermal Transferring
Max. print height	15.8 mm	18.0 mm	27.1 mm
Print resolution (dpi)	180	180	360
Print speed (mm/sec)	10 mm/sec	10 mm/sec	20 mm/sec
Adapter type	AD-24ES	AD-24ES	AD-9100ES
No./type of batteries	6 x AA	8 x AA	N/A
Supplied	18mm Black on White (4m) Tape Carry Case AC Adaptor	24mm Black on White (4m) Tape Carry Case AC Adaptor USB cable CD-ROM label design software	24mm Black on White (8m) Tape AC Adaptor USB cable CD-ROM label design software
Barcode printing	Yes	Yes	Yes
Fonts	10	10	10
Print sizes	7	8	24
Print widths	4	5	4
Print styles	10	10	18
Frames/Borders	16	20	30
Symbols	253	253	449
Underline	Yes	Yes	Yes
Programmable label length	Yes	Yes	Yes
Multiple line printing	5 lines	7 lines	16 lines
Vertical printing	Yes	Yes	Yes
Mirror printing	Yes	Yes	Yes
Block printing	Yes	Yes	-
No. of Blocks	5	5	-
Memory (No. of Characters)	1,800 (max. 9areas)	2,800(max. 99areas)	10,240 (max. 100areas)
Max number of characters/label	462	462	1024
Repeat printing	Yes	Yes	Yes
Sequential numbering	Yes	Yes	Yes
Print preview	Yes	Yes	Yes
Colour	Black & White	Black & White	Silver & Blue
Weight	570g	880g	2kg
Dimensions (w x d x h) mm	164 x 216 x 58 mm	177 x 238 x 70 mm	237 x 302 x 104 mm





QL-570

Designed to fit neatly onto your desk without occupying much space, the QL-570 has high print resolution, making it ideal for printing quality logos, images and text onto your labels, quickly and easily.

- High quality with 300 x 600dpi resolution printing
- Professional – built-in automatic label cutter leaves a clean cut edge
- Prints continuous length rolls or pre sized die cut labels
- Includes Standard address labels (100 labels), 62 mm continuous length tape (8 m), USB cable and label design software on CD-ROM
- Prints 12 mm - 62 mm wide labels



QL-700

The Brother QL-700 label printer offers an easy way to print professional looking labels for a wide range of uses throughout the workplace. Windows users simply need to connect the USB cable, run the software from the pop-up message, then design and print your label with “P-touch Editor Lite” label design software inside the machine.

- Built-in label design software, no software or drivers need to be installed
- Quick and effective – prints up to 93 labels per minute
- Professional – built-in automatic label cutter leaves a clean cut edge
- Prints continuous length rolls or pre sized cut labels
- Includes Standard address labels (100 labels), 62 mm continuous length tape (8 m), USB cable and label design software on CD-ROM
- Prints 12 mm – 62 mm wide labels



QL-710W

Brother QL-710W desktop labelling device has built in wireless networking so the whole office can benefit from its professionally printed customised labels.

- Save time up to 93 labels per minute print speed
- Durable automatic cutter
- Share amongst users with wireless connectivity
- Versatile – Choose from a range of pre-sized and continuous labels for different applications
- Print address labels directly from Microsoft Word, Excel and Outlook
- Built-in P-touch Editor Lite LAN software allowing quick and easy use over the network
- Free iPrint & Label application for use with Apple and Android, tablets and mobile devices



QL-720NW

Brother QL-720NW offers IT managers a professional, networked label printing solution for a busy office.

Same as QL-710W plus:

- Share amongst users with wireless and network connectivity

Specification	QL-570	QL-700	QL-710W	QL-720NW
Label type	DK	DK	DK	DK
Label Width	12/29/38/50/54/62 mm Continuous Die-Cut (10 formats)	12/29/38/50/54/62 mm Continuous Die-Cut (10 formats)	12/29/38/50/54/62 mm Continuous Die-Cut (10 formats)	12/29/38/50/54/62 mm Continuous Die-Cut (10 formats)
PC Connectable	Yes	Yes	Yes	Yes
Interface	USB	USB	USB & Wireless IEEE 802.11b/g/n	USB, RS-232C, 10/100 BASE-TX Wired LAN, IEEE 802.11b/g/n Wireless LAN
ESC/P Compatible	-	-	-	-
Network-ready	-	-	-	Yes
Unique feature		Built-in label design software “P-touch Editor Lite”	iPrint & label app for printing from Android / Apple Tablets / phones and built-in label design software “P-Touch Editor Lite LAN”	
Hardware - Cutter	Automatic	Automatic	Automatic	Automatic
Print method	Direct Thermal	Direct Thermal	Direct Thermal	Direct Thermal
Max Print Height	59 mm	59 mm	59 mm	59 mm
Max Print Length	1 m	1 m	1 m	1 m
Print Resolution (dpi)	300 x 600	300 x 600	300 x 600	300 x 600
Print speed (mm/sec)	110 mm/sec	150 mm/sec	150 mm/sec	150 mm/sec
Print speed (labels/min)	68 labels/min	93 labels/min	93 labels/min	93 labels/min
Power Supply	Built-in	Built-in	Built-in	Built-in
Supplied	Standard address labels (100 labels) 62 mm Black on White continuous length tape (8 m) USB cable CD-ROM label design software	Standard address labels (100 labels) 62 mm Black on White continuous length tape (8 m) USB cable CD-ROM label design software	Standard address labels (100 labels) 62 mm Black on White continuous length tape (8 m) USB cable CD-ROM label design software	Standard address labels (100 labels) 62 mm Black on White continuous length tape (8 m) USB cable CD-ROM label design software
Barcode printing	Editor Software	Editor Software	Editor Software	Editor Software
Vertical Printing	Editor Software	Editor Software	Editor Software	Editor Software
Mirror Printing	Editor Software	Editor Software	Editor Software	Editor Software
Programmable Label Length	Editor Software	Editor Software	Editor Software	Editor Software
Sequential Numbering	Editor Software	Editor Software	Editor Software	Editor Software
Colour	Black & Silver	Black & White	Black & White	Black
Weight	1.14kg	1.12kg	1.2kg	1.2kg
Dimensions (w x d x h) mm	133 x 208 x 143 mm	128 x 221 x 153 mm	128 x 236 x 153 mm	128 x 236 x 153 mm

3.5 mm	6 mm	9 mm	12 mm	18 mm	24 mm	36 mm
Standard Laminated - 8 m						
	TZe-111	TZe-121	TZe-131	TZe-141	TZe-151	TZe-161
			TZe-132			
			TZe-133			
			TZe-135	TZe-145		
	TZe-211	TZe-221	TZe-231	TZe-241	TZe-251	TZe-261
			TZe-231S*			
		TZe-222	TZe-232	TZe-242	TZe-252	TZe-262
		TZe-223	TZe-233	TZe-243	TZe-253	TZe-263
			TZe-334	TZe-344	TZe-354	
	TZe-315	TZe-325	TZe-335	TZe-345	TZe-355	TZe-365
		TZe-421	TZe-431	TZe-441	TZe-451	TZe-461
			TZe-431S*			
			TZe-435			
		TZe-521	TZe-531	TZe-541	TZe-551	TZe-561
			TZe-535		TZe-555	
	TZe-611	TZe-621	TZe-631	TZe-641	TZe-651	TZe-661
		TZe-721	TZe-731	TZe-741	TZe-751	
Fluorescent Laminated - 5 m						
			TZe-B31		TZe-B51	
			TZe-C31		TZe-C51	
Matt Laminated - 8 m						
			TZe-M31			
			TZe-MQL35**			
			TZe-MQP35**			
			TZe-MQG35**			
Metallic Laminated - 8 m						
			TZe-M931		TZe-M951	TZe-M961
Non-Laminated - 8 m						
TZe-N201		TZe-N221	TZe-N231	TZe-N241	TZe-N251	
Fabric - 3 m						
			TZe-FA3	TZe-FA4B		
Security Laminated - 8 m						
				TZe-SE4		



Actual tape colours may differ slightly from the printed colours. The availability of TZe tapes may also vary in different countries.

* Tape length is 4m / ** Tape length is 5m /



DK Die-Cut Labels	Material	Colour	Size	Item No.
Standard address label (400/roll)	Paper	White	29 x 90 mm	DK-11201
Large address label (400/roll)	Paper	White	38 x 90 mm	DK-11208
Small address label (800 roll)	Paper	White	29 x 62 mm	DK-11209
Shipping label (300/roll)	Paper	White	62 x 100 mm	DK-11202
Barcode label (600/roll)	Paper	White	102 x 51 mm	DK-11240*
Large shipping label (200/roll)	Paper	White	102 x 152 mm	DK-11241*
File folder label (300/roll)	Paper	White	17 x 87 mm	DK-11203
Multi-purpose label (400/roll)	Paper	White	17 x 54 mm	DK-11204
Square label (1000/roll)	Paper	White	23 x 23 mm	DK-11221
CD/DVD label (100/roll)	Film	White	58 mm	DK-11207
Round label (1200/roll)	Paper	White	12 mm	DK-11219
Round label (1000/roll)	Paper	White	24 mm	DK-11218
DK Continuous-Length Tapes - 30.48 m				
Continuous-length	Paper	White	12 mm	DK-22214
Continuous-length	Paper	White	29 mm	DK-22210
Continuous-length	Paper	White	38 mm	DK-22225
Continuous-length	Paper	White	50 mm	DK-22223
Continuous-length	Paper, non-adhesive	White	54 mm	DK-N55224
Continuous-length	Paper	White	62 mm	DK-22205
Continuous-length	Paper, removable	White	62 mm	DK-44205
Continuous-length	Paper, removable	Yellow	62 mm	DK-44605
Continuous-length	Paper	White	102 mm	DK-22243*
DK Continuous-Length Tapes - 15.24 m				
Continuous-length	Film	White	29 mm	DK-22211
Continuous-length	Film	White	62 mm	DK-22212
Continuous-length	Film	Yellow	62 mm	DK-22606
Continuous-length	Film	Clear	62 mm	DK-22113







brother® at your side

Brother UK Ltd, Audenshaw, Manchester, M34 5JD

Tel: **08444 999 444**

www.brother.co.uk/labels

