

High Speed Mono Laser Fax













Whatever your purpose, the Brother FAX-2940 has the features and technology to help you work more efficiently.

The compact stylish design delivers professional performance with enhanced capabilities such as N-in-1-copy, which improves productivity and reduces paper costs.

Key Features

- •High speed super G3 (33.6kbps) faxing
- •30 sheet automatic document feeder and 250 sheet lower paper tray
- •Printer and Scanner driver download available
- •22 One touch, 200 Speed dials and up to 500 page memory transmission/ reception
- •High speed printing/ copying at up to 20ppm
- •Supplied with a 1000 page toner*

Supplies

Standard Yield Toner (TN-2210) Approx. 1,200 pages* High Yield Toner (TN-2220) Approx. 2,600 pages* Drum (DR-2200) Approx. 12,000 pages (one page per job)

*Declared yield value in accordance with ISO/IEC19752

Optional Extras

Additional 2 years warranty

ZWPS0120

FAX-2940

Product Specifications



General

Technology Electrophotographic Laser Printer

IFC 60825-1:2007 Class 1 Laser Product Processor ARM9 200MHz Memory 16MB Hi-Speed USB 2.0 Local Interface

2 lines x 16 characters with green back-lit display LCD Display Size

Warm-up Time Less than 7 seconds from sleep mode

FΔX

Fax Modem 33,6 kbps (Super G3) One Touch Dials 22 (11 x 2) Speed Dials 200 Groups 8

Automatic redialling if the recipient fax is busy Automatic Redial

An electronic, alphabetical listing of stored speed dials and group numbers Telephone Index

Allows the user to store parts for long dialling sequences in different speed dial locations Chain Dialling

Distinctive Ring Detection A service purchased from a telephone company that allows two or more telephone numbers to share a single fixed

line, the function enables the machine to provide a different ring tune for each number.

Speaker / Ring / Beep Volume 3 steps and off Handset Volume 1 step

Fax/Tel Switch Automatic recognition of fax and telephone reception

Super Fine Enables quality transmission of very small print and line drawings

Contrast Auto / light / dark

Enhanced Remote Activate Transfer a fax call, answered on an extension phone, to the fax machine

Delayed Timer Up to 50 Secure Polling Polling Type

Quick-Scan Reduce scanning times by scanning a fax into memory before sending. Approximately 2.5 seconds per page A4 standard

Memory Transmission up to 500 pages* up to 500 pages3** Out of Paper Reception

Broadcasting Send the same fax message to up to 272 separate locations (manual 50 locations)

Batch Transmission Stores documents for the same location in the machines memory for transmission in a single call

Auto Reduction

When receiving a single page document more than 297mm long the fax machine will automatically reduce the message to fit onto a single A4 sheet

ECM (Error Correction Mode) The Brother Fax will detect line errors during fax transmission and resend the page(s) of the document that had an

error (recipient machines must share this feature for it to work)

Fax Forwarding Sends a fax received in memory to another pre-programmed fax number Remote Access Allows the user to remotely access their machine by using another touch tone phone

Allows the user to retrieve fax messages using another touch tone machine

Grey Scale 256 shades of grey are available for faxing PC Fax Send Send faxes through your computer***

**ITU-T Test Chart #1, Standard Resolution, JBIG

Copier

Fax Retrieval

Copy Speed Up to 20 copies per minute in black & white (150 x 600dpi)

Copy Resolution Maximum resolution: 1200 x 1,200 dpi (Colour) 1,200 x 1,200 dpi (Mono) Enlargement/Reduction Ratio Reduce or Increase document sizes from 25% to 400% in 1% increments

Multi Copy Up to 99 copies of the original

Mono Printer

20 pages per minute Print Speed (A4)

Resolution Up to 600 x 600 dpi, HQ1200 (2400 x 600 dpi) resolution

First Print Out Time Less than 10 seconds from ready mode

Warm-up Time Less than 7 seconds from sleep mode Host based GDI

Print Language Printer Driver***

Windows 7° (32 & 64 bit editions), Windows Vista° (32 & 64 bit editions), Windows° XP Professional (32 & 64 bit editions), Windows° Windows[®]

XP Home Edition

Macintosh Mac OS X 10.5.8, 10.6.x, 10.7.x or greater

Linux CUPS, LPD/LPRng (x86/x64 environment)

Mono Scanner

Scan Resolution from ADF 600 x 600dni

Interpolated Scan Resolution 19,200 x 19,200dpi (Requires bundled software) **Grey Scale** 256 shades of grey are available for scanning

Scanner Driver***

Windows TWAIN, WIA (Windows 7, Windows Vista & Windows XP)

Macintosh ICA Linux SANF

*** Optional free download from the Brother Solutions Centre http://solutions.brother.com

FAX-2940

Product Specifications



Paper Input

Standard Tray: 250 sheets Manual Paper Feed Slot: 1 sheet ADF 30 sheets

Paper Output Face Down:

100 sheets

Face Up (Straight Paper Path):

1 sheet

Media Types & Weights Standard Tray:

Plain & recycled paper (between 60 - 105 g/m2 (16 - 28 lb)) Plain, recycled & bond paper (between 60 - 163g/m2 (16 to 43lb))

Multi-Purpose Tray: ADF: Envelope Printing:

Plain & recycled paper (between 64 - 90 g/m2 (17 to 24 lb)) $Yes, from \ Multi-Purpose \ (MP) \ Tray. \ Accuracy \ \& \ reliability \ will \ depend \ on \ the \ quality \ \& \ type \ of \ envelopes \ used.$

Yes, from Multi-Purpose (MP) Tray. Accuracy & reliability will depend on the quality & type of labels used.

Label Printing: **Media Sizes** Standard Trav: Manual Feed Slot:

A4, Letter, B5(ISO/JIS), A5, A5(Long Edge), B6(ISO), A6, Executive Width: 76.2mm to 216mm x Length: 116mm to 4.6.4mm

Width: 147.3mm to 215.9mm x Length 147.3mm to 355.6mm

Power Saving

ADF:

This enables the printer to consume less energy when not in use

Toner Saving This reduces the toner usage and helps to reduce the total cost of printer ownership Recommended Monthly

250 – 2,000 pages monthly print volume

Weights/ Dimensions/ Measures

With Carton (WxDxH) 476 x 458 x 436 mm, 12.9 kg W/ out Carton (WxDxH) 368 x 360 x 311 mm, 9kg

	Power Consumption	Sound Pressure Level	Sound Power Level
	(measured at 25°C)		
Active (faxing or copying)	Average 360W	Less than 53dBA	Less than 6.18BA
Ready	Average 53W	Less than 30dBA	Less than 4.25BA
Deep Sleep	Average 1.5W		
TEC Value	1.5kWh / Week		

What's in the box

Toner Cartridge (Approx. 1,000 pages*) Drum Unit (Approx. 12,000 pages)

Power Supply Cord

Fax Cord

Quick Set-up Guide