# EcoTank ET-M1180



#### DATASHEET / BROCHURE

















With 11,000 pages' worth of ink, Wi-Fi, USB and Ethernet connectivity, and a three-year warranty<sup>1</sup>, this EcoTank is easy-to-use with a low TCO.

Wi-Fi-enabled mono EcoTank printer for business, with an extremely low TCO in a user-friendly, stylish and compact design. Print up to an amazing 11,000 pages with the included ink that comes in a bottle for mess-free, easy refills. Wi-Fi, USB and Ethernet connectivity, PCL support, and a fast FPOT of six seconds all help to keep productivity high.

# Save money

A high ink yield combined with Epson's economical inkjet technology delivers a low TCO and a competitive cost per page.

# Save time

This reliable cartridge-free printer features an enhanced ink filling system and easy-to-use ink bottles, keeping intervention to a minimum. Thanks to the ink tank being positioned at the front of the printer, with a clear view of the ink levels, this new design is compact and provides easy access for refilling. Its fast First Page Out Time (FPOT) of six seconds from sleep, and 20ppm print speed, mean you won't be waiting around for jobs.

# Save energy

Unlike a laser, our inkjet technology doesn't need any heat during the printing process, helping to keep energy use low and reduce electricity bills.

#### Connectivity

Wi-Fi, Ethernet and USB connectivity and a compact footprint mean that it's easy to place on a desktop and connect to a user's PC or laptop.

# **KEY FEATURES**

- Low TCO and energy use
   Keep your printing costs extremely low
- High ink yields
   Print up to 11,000 pages with the included ink
- Save time Fast FPOT
- Built for business
   Duplex printing and PCL support
- Easy connectivity
  Wi-Fi, USB and Ethernet



## PRODUCT SPECIFICATIONS

**TECHNOLOGY** 

Printing Method PrecisionCore™ TFP print head

Nozzle Configuration 400 Nozzles black

Minimum Droplet Size 2.8 pl Ink Technology Pigment ink

Application Home Office, Office Desktop, Office Workgroup

All-in-One Functions Print

PRINT

First Page Out from Ready Monochrome 6 Seconds
Printing Speed ISO/IEC 24734 20 pages/min Monochrome
Duplex Printing Speed 9 A4 pages/min Monochrome

ISO/IEC 24734

Maximum Printing Speed 39 pages/min Monochrome (plain paper)

Printing Resolution 1,200 x 2,400 dpi
Max Duty cycle 5,000 pages per month

The maximum number of printed pages per month based on the performance capabilities of

the printer, including ISO rated print speeds and paper handling capabilities.

Recommended Duty Cycle 200 - 1,000 pages per month

Colours Black

For detailed information on printing speeds please visit http://www.epson.eu/testing.

CONNECTIVITY

Network Printing Protocols IPP, LPD, Port 9100, WSD

Network Management

SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping

Protocols

Interfaces Hi-Speed USB - compatible with USB 2.0 specification, Ethernet interface (100 Base-TX / 10

Base-T), Wi-Fi Direct, Wireless LAN IEEE 802.11b/g/n (WiFi 4), Bluetooth

WLAN Security WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES)

Network Protocols TCP/IPv4, TCP/IPv6

PAPER / MEDIA HANDLING

Paper Formats A4, Legal, A5, A6, B5, B6, DL (Envelope), C6 (Envelope), No. 10 (Envelope), Letter

Compatible Paper Weight Duplex

64 g/m<sup>2</sup> - 90 g/m<sup>2</sup> Yes (A4, plain paper) 100 Sheets

Output Tray Capacity 100 Sheets
Paper Tray Capacity 250 Sheets Standard
Standard paper tray(s) 250-sheet paper tray

Maximum paper input 250 Rear paper path (special Yes

media)

Number of paper trays

## EcoTank ET-M1180

# WHAT'S IN THE BOX

- Printer
- X2 ink bottles
- Warranty document
- Power cable



#### PRODUCT SPECIFICATIONS

GENERAL

Energy Use

Systems

Recommended number of

users

0.7 W (sleep mode), 14 W (printing), 3.4 W (Ready), 0.2 W (Power off)

Supply Voltage AC 220 V - 240 V

**Product dimensions** 375 x 347 x 151 mm (Width x Depth x Height)

From 1 to 3

Product weight 4.3 kg

Noise Level 6.9 B (A) according to ISO 7779 pattern with Epson Premium Glossy Photo Paper / Photo RPM

mode - 56 dB (A) according to ISO 9296

Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.11.x, Mac OS X Compatible Operating

> 10.12.x, Mac OS X 10.13.x, Mac OS X 10.6.8, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2003 R2 x64, Windows Server 2003 SP2, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows

XP SP3 or later (32-bit), Windows XP Professional x64 Edition SP2

Sound Power Operation: 56 dB (A) Sound Pressure

Mobile & Cloud printing Epson Connect (iPrint, Email Print, Remote Print Driver), Google Cloud Print

services Power Supply

OTHER FEATURES

Emulations PCL5e

OTHER

Warranty 12 months On-site service, 100,000 pages

220V. 240V

Optional warranty extension available

**SUPPLIES** 

• 111 EcoTank Pigment black ink bottle

C13T03M140 6,000 pages

Maintenance Box

C13T04D100

## LOGISTICS INFORMATION

SKU	C11CG94402BY
EAN code	8715946655291
Layer	2 Units
Layer Block	4 Units

#### EcoTank ET-M1180

## **INK YIELD DATA**



111

6,000 pages\*

\* Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 19752. 11,000 pages yield based on two ink bottles included with this printer. 6,000 pages yield based on EcoTank ET-MX1XX Series Black Bottle XL ink bottle sold separately. Quoted yields are NOT based on ISO/IEC24711. Quoted yields may vary depending on the images that you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature.

For more information please contact:

Home users: 0343 90 37766 Business users\*: 0871 42 37766 Republic of Ireland: 01 436 7742

Or visit us at https://www.epson.co.uk/contactus
\* 10p per minute plus network extras.

www.epson.co.uk www.epson.ie

1. One year RTB standard warranty, three years RTB warranty by registering your product online.

