

EcoTank ET-M2140



This 3-in-1 EcoTank can help reduce your printing costs. It includes a LCD screen, double-sided printing and 250-sheet tray.

Print, copy and scan with this durable, fast and energy-efficient EcoTank with refillable ink tank. A cost-efficient solution, print up to 11,000 pages with the included black ink¹. Select features directly and quickly using the 3.7cm colour LCD screen.

Reduce your printing costs

The economical EcoTank is fundamentally different to laser printers. It features a large refillable ink tank that you fill with the included ink bottles instead of toner. From the start you have enough ink to print thousands of pages, slashing costs and saving time as you're not frequently changing toner.

Low cost replacements

While refills are likely to be few and far between, you'll be able to save over 90% on the cost per page with replacement ink bottles².

Reliable

Giving peace of mind, every EcoTank mono printer comes with a one-year/100,000-page warranty.

Save time

Don't waste time changing supplies - with an ink tank system you can essentially fill it up and forget about it. Printing is fast with no warm-up time and speeds of 20ppm³.


Save energy

Cut energy usage and reduce overheads with an EcoTank mono printer. It can save up to 95%⁴ in power consumption compared to mono laser printers.

Efficient business features

Experience the PrecisionCore printhead that's renowned for its speed, quality, reliability and efficiency. Replace paper less often with the 250-sheet tray and save paper with automatic double-sided printing.

DATASHEET / BROCHURE



KEY FEATURES

- **Reduce your printing costs**
Economical ink tank printer with lots of ink included
- **Reliable and durable**
One-year or 100,000-page warranty
- **Reduce energy usage**
Save up to 95% in power consumption⁴
- **Time saving**
Double-sided printing, 250-sheet tray, 3.7cm colour LCD screen
- **Fast, business-quality printing**
20ppm print speeds³, no warm up time, PrecisionCore printhead

PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method	PrecisionCore™ Print Head
Nozzle Configuration	400 Nozzles black
Minimum Droplet Size	2.8 pl
Ink Technology	Pigment ink
Printing Resolution	1,200 x 2,400 dpi
Application	Home Office, Office Desktop, Office Workgroup
All-in-One Functions	Print, Scan, Copy

PRINT

Printing Speed ISO/IEC 24734	20 pages/min Monochrome
Maximum Printing Speed	39 pages/min Monochrome (plain paper)
Duplex Printing Speed	9 A4 pages/min Monochrome
ISO/IEC 24734	
First Page Out from Ready	Monochrome 6 Seconds
Max Duty cycle	20,000 pages per month
	The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
Colours	Black

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

SCAN

Single-sided scan speed (A4 black)	200 dpi (flatbed) 12 sec. with flatbed scan
Single-sided scan speed (A4 colour)	200 dpi (flatbed) 27 sec. with flatbed scan
Scanning Resolution	1,200 dpi x 2,400 dpi (Horizontal x Vertical)
Optical Resolution (ADF)	1,200 dpi x 2,400 dpi (Horizontal x Vertical)
Output formats	BMP, JPEG, PICT, TIFF, multi-TIFF, PDF, PNG
Scanner type	Contact image sensor (CIS)

PAPER / MEDIA HANDLING

Number of paper trays	1
Paper Formats	A4, Legal, A5, A6, B5, B6, C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter
Duplex	Yes (A4, plain paper)
Output Tray Capacity	100 Sheets
Paper Tray Capacity	250 Sheets Standard
Rear paper path (special media)	Yes
Compatible Paper Weight	64 g/m² - 256 g/m²
Media Handling	Automatic duplex (A4, plain paper), Rear specialty media feed

EcoTank ET-M2140

WHAT'S IN THE BOX

- X2 ink bottles
- Main unit
- Power cable
- Warranty card

PRODUCT SPECIFICATIONS

GENERAL	
Recommended number of users	From 1 to 3
Energy Use	12 W (standalone copying, ISO/IEC 24712 pattern), 0.7 W (sleep mode), 4.9 W (Ready), 0.8 W (Power off)
Supply Voltage	AC 100 V - 240 V
Product dimensions	375 x 347 x 302 mm (Width x Depth x Height)
Product weight	6.4 kg
Compatible Operating Systems	Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP SP3, Windows XP Professional x64 Edition SP2
Interfaces	USB
Sound Power	Operation: 6.9 B (A)
Sound Pressure	Operation: 56 dB (A)
Power Supply	220V, 240V
Colour	White
OTHER FEATURES	
LCD screen	Type: Colour, Diagonal: 3.7 cm
Emulations	GDI
OTHER	
Warranty	12 months Carry in, 100,000 pages Optional warranty extension available

EcoTank ET-M2140

WHAT'S IN THE BOX

- X2 ink bottles
- Main unit
- Power cable
- Warranty card

LOGISTICS INFORMATION

SKU	C11CG27402BY
EAN code	8715946655017
Country of Origin	Philippines
Layer	2 Units
Layer Block	4 Units

EcoTank ET-M2140

INK CARTRIDGE COMPATIBILITY

INK BOTTLE YIELD DATA



Included 11,000 pages*

Replacement

* Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 19752. 11,000 pages yield based on two ink bottles included with this printer. 6,000 pages yield based on EcoTank ET-MX1XX Series Black Bottle XL ink bottle sold separately. Quoted yields are NOT based on ISO/IEC 24711. Quoted yields may vary depending on the images that you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature.



PRECISIONCORE™

For more information please contact:

Home users: 0343 90 37766
Business users*: 0871 42 37766
Republic of Ireland: 01 436 7742
Or visit us at <https://www.epson.co.uk/contactus>
* 10p per minute plus network extras.

Web: www.epson.co.uk
www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.
Last extracted: 2019-06-24

1. Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test patterns provided in ISO/IEC 19752. Quoted yields are NOT based on ISO/IEC 24711. Quoted yields may vary depending on the images you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature. During the initial printer setup, a certain amount of ink is used to fill the print head's nozzles, therefore the yield of the initial bundled set can be lower.
2. Taking the RRP of the mono EcoTank replacement ink bottles and comparing printing costs calculated on the largest available yield toner divided by the average selling price in the Western European market listed in IDC EMEA Semiannual Consumables Tracker 2018H1 for the 12 months to June 2018 (including VAT at 21%). Toner yields as communicated by the manufacturers websites.
3. Determined in accordance with ISO/IEC 24734 showing the average of ESAT from the Office Category Test for default simplex. For more information visit www.Epson.eu/testing
4. Comparison of the power consumption while printing of the Epson ET-M1120, ET-M2170 and ET-M3170 models against the average top selling 75% of A4 monochrome laser printers (below 20ppm class) listed in IDC Worldwide Quarterly Hardcopy Peripherals Tracker 2018Q3 data for the 12 months ending September 2018. Power consumption values as communicated by the manufacturers websites.

EPSON®